



上海游龙橡胶制品有限公司

SHANGHAI YOULONG RUBBER PRODUCTS CO., LTD.





公司简介 Introduction of Company

上海游龙橡胶制品有限公司是生产气胀式救生筏、海上撤离系统、印刷橡皮布、网球和其它充气制品的专业厂家。公司通过了ISO质量管理体系和军工产品质量体系认证。

本公司生产的气胀式救生筏、海上撤离系统符合“SOLAS公约96修正案”、“救生设备试验MSC.81(70)”、“国际救生设备规则(LSA)”、“2000年国际高速客船安全规则(HSC)”、“2000渔业船舶法定检验规则”等相关国际、国内公约和规范。产品已经通过了CCS(中国船级社)、ABS(美国船级社)、EC(欧盟)、GL(德国船级社)、LR(英国船级社)和中国渔检(ZY)的型式认可，同时也通过了韩国的型式认可。此外海上撤离系统(YL-MES)还获得国家专利(专利号：ZL2004 2 0021877.0)。救生筏销售服务网络覆盖全球各地，近185个救生筏维修网点遍布全国；国外救生筏维修网点约为180个，使本公司的产品销售和维修更为方便。

本公司生产的印刷橡皮布和胶衬共20个系列，产品已销往世界各地。采用全新的科技手段和进口原材料以及先进的工艺设备使气垫、实垫橡皮布在国内外市场上具有极高的声誉，成为橡皮布行业的典范。

网球连续多年成为中国网协国内比赛唯一用球。

公司的追求目标：世界一流不是梦。

Shanghai Yulong Rubber Products Co.,Ltd. is one of the main manufactures of liferafts, marine evacuation system, printing blanket, tennis ball and other inflatable products. It gained ISO Quality Management System and military product supplier certificates.

Our inflatable liferafts, marine evacuation system and other inflatable products are in accordance with various international, domestics resolution including SOLAS 96 amendment, MSC. 81(70), Life-saving appliance(LSA), HSC, 2000 Sea Fishing Vessels Safe Rules, testing of life-saving appliances. Our products are approved by ABS, CCS, EC, GL, LR, ZY and they also are approved by Korea. Furthermore the marine evacuation system also won state patents(patent No. ZL2004 2 0021877. 0). Liferaft sales service network coverage around the world, nearly 185 liferaft servicing stations throughout the country; The overseas liferaft servicing stations about 180, making the company's products sales and servicing easier.

The company's printing blanket and liner for offset printing together 20 series. The products have been sold around the world. Using new technology tools, import raw materials and advanced equipment to process real pad blanket, air blanket in domestic and overseas markets with high reputation as a model of blanket industry.

Tennis ball consecutive years become China's tennis Association for the only ball game.

The company's goals: a world-class is not a dream.

质量体系 Quality System





产品设计依据和使用范围 Products design basis and the scope of application

KHA型抛投式气胀救生筏, KHD型可吊式气胀救生筏, KHZ型自扶正气胀救生筏, KHZD型自扶正可吊式气胀救生筏, KHR型带顶篷两面可用气胀救生筏, 符合“SOLAS(74/96)”, “MSC.81(70)”, “MSC.218(82)”及“国际救生设备规则(LSA)”等规定, 适用于I类航区(远洋航区)。

KHK型两面可用气胀救生筏符合2000年国际高速客船安全规则(HSC), 适用于国际A类高速客船。

KHK(HK)型两面可用气胀救生筏符合“2000年国际高速客船安全规则(HSC)”和中华人民共和国海事局与中国香港特别行政区海事处签署的“关于珠江海域至香港特别行政区高速客船检验标准备忘录”。

KHY型游艇气胀式救生筏, KHY(SR)型自扶正游艇气胀式救生筏符合ISO 9650-1:2005《小型船艇-气胀式救生筏》的规定。

KHYJ型游艇气胀式救生筏其性能符合ISO 9650-2:2005《小型船艇-气胀式救生筏》的规定。

KHB型气胀救生筏符合《国内航行海船法定检验技术规则》(2004)的规定, 适用于II类和III类航区(沿海和近海航区)。

QJF-Y型渔用气胀式救生筏, QJF-YJ型渔用简易气胀式救生筏符合“2000渔业船舶法定检验规则”的规定。

海上撤离系统符合“SOLAS(74/96)”, “MSC.81(70)”, “MSC.218(82)”及“国际救生设备规则(LSA)”等规定, 适用于I类航区(远洋航区), 可分为垂直式和倾斜式。

KHA type throw over board inflatable liferafts, KHD type davit-launched inflatable liferafts, KHZ type self-righting inflatable liferafts, KHZD type self-righting & davit-launched inflatable liferafts, KHR type both sides of a canopied reversible inflatable liferafts are in accordance with SOLAS(74/96), MSC. 81(70), “MSC.218(82)”, (LSA), etc. applicable in ships on category I voyage area(ocean voyage area).

KHK type open reversible inflatable liferafts are in accordance with International Code of Safety for High Speed Craft 2000(HSC) and can be used in international category A High Speed Craft.

KHK(HK) type open reversible inflatable liferafts are in accordance with International Code of Safety for High Speed Craft 2000(HSC) and the memorandum of inspection standard about High Speed Passenger Craft from ZHUJIANG water area to HONGKONG S.A.R. co-signed by Maritime Safety Administration of P.R. China and Marine Department of Hong Kong S.A.R.

KHY type inflatable leisure liferafts, KHY(SR) type self-righting inflatable leisure liferafts are in accordance with ISO 9650-1:2005 small craft liferaft.

KHYJ type inflatable leisure liferafts are in accordance with ISO 9650-2:2005 small craft liferaft.

KHB type inflatable liferafts are in accordance with Sea-going Ships Engaged on Domestic Voyages 2004 and applicable in ships on categoryII、 III voyage area(inshore area).

QJF-Y type inflatable liferafts for fishing vessels and QJF-YJ type inflatable liferafts for fishing vessels are in accordance with 2000 Sea Fishing Vessels Safe Rules and applicable in ships on category inshore area.

Marine evacuation system are in accordance with SOLAS(74/96), MSC. 81(70), “MSC.218(82)”, (LSA), etc. and applicable in ships on category I voyage area(ocean voyage area). They can be divided into vertical escape and inclined slide.

主要证书 Main Certificates





气胀式救生筏 Inflatable liferafts

KHA型抛投式气胀救生筏

KHA TYPE THROW OVER BOARD INFLATABLE LIFERAFTS



型号 Type	KHA-6	KHA-8	KHA-10	KHA-12	KHA-15	KHA-16	KHA-20	KHA-25	KHA-30
名称 Name									
核定人员(人) Capacity (Pers)	6	8	10	12	15	16	20	25	30
包装尺寸(mm) Packing Dimension (mm)	Φ545 ×1045	Φ545 ×1045	Φ615 ×1095	Φ615 ×1095	Φ670 ×1135	Φ670 ×1135	Φ690 ×1285	Φ720 ×1450	Φ720 ×1450
总重量≤(kg) Total Weight≤(kg)	75	85	98	109	127	135	155	170	185

KHD型可吊式气胀救生筏

KHD TYPE DAVIT-LAUNCHED INFLATABLE LIFERAFTS



型号 Type	KHD-12	KHD-15	KHD-16	KHD-20	KHD-25
名称 Name					
核定人员(人) Capacity (Pers)	12	15	16	20	25
包装尺寸(mm) Packing Dimension (mm)	Φ695 ×1285	Φ695 ×1285	Φ695 ×1285	Φ785 ×1390	Φ785 ×1390
总重量≤(kg) Total Weight≤(kg)	125	138	140	160	185



气胀式救生筏 Inflatable liferafts

KHZ型自扶正气胀救生筏

KHZ TYPE SELF-RIGHTING INFLATABLE LIFERAFTS



型号 Type	KHZ-6	KHZ-10	KHZ-15	KHZ-20	KHZ-25	KHZ-50	KHZ-100	KHZ-110	KHZ-125
名称 Name									
核定人员(人) Capacity(Pers)	6	10	15	20	25	50	100	110	125
包装尺寸(mm) Packing Dimension(mm)	Φ615 ×1095	Φ670 ×1135	Φ690 ×1285	Φ720 ×1450	Φ735 ×1495	Φ895 ×2095	Φ1050 ×2400	Φ1050 ×2400	Φ1050 ×2400
总重量≤(kg) Total Weight≤(kg)	87	109	131	180	205	350	800	860	920

KHZD型自扶正可吊式气胀救生筏

KHZD TYPE SELF-RIGHTING DAVIT-LAUNCHED INFLATABLE LIFERAFTS

型号 Type	KHZD-25	KHZD-37
名称 Name		
核定人员(人) Capacity(Pers)	25	37
包装尺寸(mm) Packing Dimension(mm)	Φ845×1510	Φ850×1875
总重量≤(kg) Total Weight≤(kg)	230	310





气胀式救生筏 Inflatable liferafts



KHR型带顶篷两面可用气胀救生筏

KHR TYPE BOTH SIDES OF A CANOPIED REVERSIBLE INFLATABLE LIFERAFTS



型号 Type	KHR-6	KHR-10	KHR-25	KHR-30	KHR-50	KHR-65	KHR-100
名称 Name							
核定人员(人) Capacity (Pers)	6	10	25	30	50	65	100
包装尺寸 (mm) Packing Dimension (mm)	Φ615 ×1095	Φ670 ×1135	Φ735 ×1495	Φ775 ×1495	Φ805 ×1895	Φ895 ×2095	Φ1050 ×2400
总重量≤ (kg) Total Weight ≤ (kg)	80	100	190	205	320	420	800

KHK(HK)型开敞式两面可用气胀救生筏

KHK(HK) TYPE OPEN REVERSIBLE INFLATABLE LIFERAFTS

KHK型开敞式两面可用气胀救生筏

KHK TYPE OPEN REVERSIBLE INFLATABLE LIFERAFTS



型号 Type	KHK-6	KHK-10	KHK-25	KHK-30	KHK-50	KHK-65	KHK(HK)-72	KHK(HK)-72*2
名称 Name								
核定人员(人) Capacity (Pers)	6	10	25	30	50	65	72	72*2
包装尺寸 (mm) Packing Dimension (mm)	Φ520 ×1000	Φ545 ×1045	Φ615 ×1095	Φ615 ×1095	Φ720 ×1450	Φ720 ×1450	Φ680 ×1320	Φ792 ×1700
总重量≤ (kg) Total Weight ≤ (kg)	40	60	88	100	140	170	165	300



气胀式救生筏 Inflatable liferafts

KHY(SR)型自扶正气胀救生筏

KHY(SR) TYPE SELF-RIGHTING INFLATABLE LIFERAFTS



型号 Type		KHY(SR)-4	KHY(SR)-6	KHY(SR)-8	KHY(SR)-10	KHY(SR)-12
名称 Name						
核定人员(人) Capacity(Pers)		4	6	8	10	12
包装尺寸(mm) Packing Dimension(mm)	软包装 Valise	Φ410×720	Φ430×770	Φ430×770	Φ440×870	Φ440×870
	硬包装 Container	765×530× 370	765×545× 380	815×560× 390	915×560× 370	915×560× 370
总重量≤(kg) Total Weight≤(kg)	软包装 Valise	35	40	45	48	50
	硬包装 Container	40	50	53	56	60



KHY型游艇气胀救生筏 KHY TYPE INFLATABLE LEISURE LIFERAFTS



型号 Type		KHY-4	KHY-6	KHY-8	KHY-10	KHY-12
名称 Name						
核定人员(人) Capacity(Pers)		4	6	8	10	12
包装尺寸(mm) Packing Dimension(mm)	软包装 Valise	Φ360×710	Φ410×720	Φ410×720	Φ410×820	Φ440×870
	硬包装 Container	760×485 ×360	765×530 ×370	765×545 ×380	815×560 ×390	915×560 ×370
总重量≤(kg) Total Weight≤(kg)	软包装 Valise	32	38	41	47	49
	硬包装 Container	36	45	50	55	58



气胀式救生筏 Inflatable liferafts



KHYJ型游艇气胀式救生筏

KHYJ TYPE INFLATABLE LEISURE LIFERAFTS

型号 Type		KHYJ-4	KHYJ-6	KHYJ-8	KHYJ-10
名称 Name					
核定人员(人) Capacity(Pers)		4	6	8	10
包装尺寸(mm) Packing Dimension(mm)	软包装 Valise	Φ370×660	Φ380×670	Φ400×710	Φ410×720
	硬包装 Container	765×485× 290	765×485× 360	765×530× 370	765×530× 370
总重量≤(kg) Total Weight≤(kg)	软包装 Valise	30	33	36	40
	硬包装 Container	35	40	42	50



型号 Type		KHB-6	KHB-10	KHB-15	KHB-20	KHB-25	KHB-50
名称 Name							
核定人员(人) Capacity(Pers)		6	10	15	20	25	50
包装尺寸(mm) Packing Dimension(mm)		Φ520 ×815	Φ525 ×1000	Φ615 ×1095	Φ670 ×1135	Φ670 ×1135	Φ805 ×1895
总重量≤(kg) Total Weight≤(kg)		45	55	73	90	115	200

KHB型气胀救生筏

KHB TYPE INFLATABLE LIFERAFTS



气胀式救生筏
Inflatable liferafts



QJF-Y型气胀救生筏
QJF-Y TYPE INFLATABLE LIFERAFTS




QJF-YJ型气胀救生筏
QJF-YJ TYPE INFLATABLE LIFERAFTS



名称 Name	型号 Type	QJF-Y6	QJF-Y10	QJF-Y12	QJF-Y15	QJF-Y20	QJF-YJ6	QJF-YJ10
核定人员(人) Capacity (Pers)		6	10	12	15	20	6	10
包装尺寸(mm) Packing Dimension (mm)		Φ520 ×815	Φ525 ×1000	Φ525 ×1000	Φ615 ×1095	Φ670 ×1135	Φ460 ×795	Φ520 ×815
总重量≤(kg) Total Weight ≤ (kg)		40	56	60	70	95	35	40



海上撤离系统 Marine Evacuation System



海

上撤离系统符合“SOLAS (74/96)”, “MSC.81 (70)”及“国际救生设备规则 (LSA)”的规定,可分为垂直式和倾斜式。最大存放高度22米,30分钟内撤离能力可达250人至700人。

Marine evacuation system are in accordance with SOLAS (74/96), MSC.81 (70), (LSA) and applicable in ships on category I voyage area(ocean voyage area); They can be divided into vertical escape and inclined slide. Max.height of Stowage is 22m and the evacuation capacity from 250 pers to 700 pers in 30 min.

类别 Kinds	型号 Type	存放高度 (m) Stowage height	撤离核定人员 (人) Capacity of evacuation	平台核定人员 (人) Capacity of evacuation	重量 (kg) Weight	撤离容器外型尺寸 长×宽×高 (mm) Size of container L×B×H
垂直撤离系统 Vertical evacuation system	YL-MES-S	10-19	250	50	≤1500	1400×850×2200
	YL-MES-D	10-19	500	75	≤1980	2000×950×2200
	YL-MES-S (II)	10-20	330	50	≤1560	1400×900×2200
	YL-MES-D (II)	10-20	660	100	≤2000	2000×950×2200
斜式撤离系统 Inclined evacuation system	YL-MES-I	4.5-12	350	50	≤1500	1600×1050×2200
	YL-MES-2I	4.5-12	700	100	≤1980	2200×1050×2200



型号 Type	撤离通道长度 (mm) Length of evacuation passage	宽度 (mm) Breadth	存放高度 (mm) Stowage height
YL-MES-I-X	2620-4880	1190	1500-2800
	5060-5930	1250	2800-3400
	6100-7670	1290	3400-4400
	7850-8370	1370	4400-4800

游龙

其它产品
Other products



救助艇
RUSCUE BOAT



救生圈
LIFE BUOY



充气帐篷
GAS INFLATION TENT



KHJ-H10 机动舟
KHJ-H10 TYPE MOTO BOOT



浮球
FLOATING BALL



碰碰胎
BUMP CHAMBER

其它产品
Other products



备品属具
EQUIPMENTS



气胀式救生衣
INFLATABLE LIFE JACKET



手划艇
HAND ROWBOAT



手划艇
HAND ROWBOAT




KHP-(I)漂流舟
KHP-(I) TYPE DRIFTING BOAT



KHP-(II)漂流舟
KHP-(II) TYPE DRIFTING BOAT

救生筏检修网点

Liferaft service stations



● 亚洲 ASIA

巴林Bahrein
 印度India
 巴基斯坦Pakistan
 印度尼西亚Indonesia
 泰国Thailand
 伊朗Iran
 菲律宾Philippines
 日本Japan
 科威特Kuwait
 约旦Jordan
 阿曼Oman
 韩国Korea (south)
 沙特阿拉伯Saudi Arabia
 黎巴嫩Lebanon
 阿联酋United Arab Emirate
 马来西亚Malaysia
 叙利亚Syria
 新加坡Singapore
 朝鲜Republic of Korea
 中国香港 Hong Kong P.R.C
 中国台湾 Tai wan P.R.C
 马尔代夫Maldives
 越南Vietnam
 也门Yemen

● 欧洲 EUROPE

比利时Belgium
 波兰Poland
 丹麦Denmark
 瑞典Sweden
 芬兰Finland
 英格兰England
 法国France
 西班牙Spain
 德国Germany
 葡萄牙Portugal
 希腊Greece
 保加利亚Bulgaria
 意大利Italy
 罗马尼亚Rumania
 俄罗斯Russia
 乌克兰Ukraine
 土耳其Turkey
 荷兰Holland
 挪威Norway
 爱尔兰Ireland

● 非洲 AFRICA

阿尔及利亚Algeria
 利比亚Libya
 安哥拉Angola
 埃及Egypt
 赞比亚Zambia
 南非South Africa
 苏丹Sudan
 尼日利亚Nigeria
 莫桑比克Mozambique
 利比里亚Liberia

● 美洲 AMERICA

阿根廷Argentina
 秘鲁 Peru
 巴西Brazil
 美国United States of America
 加拿大Canada
 墨西哥Mexico
 智利Chile
 哥伦比亚Columbia
 古巴Cuba
 委内瑞拉Venezuela
 厄瓜多尔Ecuador
 巴拿马Panama

● 大洋州 OCEANIA

澳大利亚Australia
 斐济Fiji
 新西兰New Zealand

地址: 上海浦东新区川沙镇黄楼新春路20号
 邮编: 201205
 电话: 86-21-58941315
 传真: 86-21-58940504
<http://www.youlongrubber.com>

Zip:201205
 Add: 20 Xinchun Rd,Chuansha,Pudong,Shanghai,201205,China
 Tel: 86-21-58941315 Fax: 86-21-58940504
 E-mail:service@youlongrubber.com